

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	79	reconnect\$4 @ad<"20010613" host ticket validate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:19
S3	0	reconnect\$4 @ad<"20010613" host ticket validate first adj0 connect\$4 second adj0 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:20
S4	5	reconnect\$4 @ad<"20010613" host ticket validate initial adj0 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:21
S5	5	reconnect\$4 @ad<"20010613" reliable host ticket validate initial adj0 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:22
S6	1	reconnect\$4 @ad<"20010613" reliable persistent host ticket validate initial adj0 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/24 13:22
S7	16	@ad<"20010613" first adj0 connect\$4 host protocol validate re-establish\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 08:34
S8	2	@ad<"20010613" first adj0 connect\$4 host protocol validate re-establish\$4 second adj0 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:28
S9	0	@ad<"20010613" first adj0 connect\$4 host protocol adj0 service validate re-establish\$4 second adj0 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:31

S10	4	@ad<"20010613" first adj0 connect\$4 host protocol adj0 service validate re-establish\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:31
S11	12	"6484206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:33
S12	2	"20020078208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:36
S13	5	"7010300"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:37
S14	0	@ad<"20010613" first adj0 connect\$4 host protocol validate connect\$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:39
S15	10	@ad<"20010613" connect\$4 host protocol validate connect\$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:39
S16	10	@ad<"20010613" multiple with connect\$4 host protocol validate connect\$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:45
S17	0	@ad<"20010613" multiple adj0 connect\$4 host protocol validate connect\$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:53
S18	0	@ad<"20010613" multiple adj0 connect\$4 host protocol connect\$4 adj0 recovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:53

S19	4	@ad<"20010613" multiple adj0 connect\$4 host protocol disrupt\$ adj0 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 09:54
S20	6	@ad<"20010613" connect\$4 mobile host protocol disrupt\$ adj0 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:27
S21	0	@ad<"20010613" connect\$4 mobile host protocol disrupt\$ adj0 connect\$4 CDMA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:30
S22	802	@ad<"20010613" connect\$4 mobile host protocol CDMA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:30
S23	34	@ad<"20010613" connect\$4 mobile host protocol CDMA re-establish	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:30
S24	33	@ad<"20010613" connect\$4 mobile host protocol CDMA re-establish multiple	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:31
S25	0	@ad<"20010613" connect\$4 mobile host protocol CDMA re-establish multiple adj0 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:31
S26	33	@ad<"20010613" connect\$4 mobile host protocol CDMA re-establish multiple	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:31
S27	12	@ad<"20010613" connect\$4 mobile host protocol CDMA session adj0 identif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:44

S28	10	@ad<"20010613" connect\$4 mobile multiple host protocol CDMA session adj0 identif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:44
S29	133	@ad<"20010613" connect\$4 mobile multiple host protocol session adj0 identif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:53
S30	12	@ad<"20010613" mobile multiple adj0 connect\$4 host protocol session adj0 identif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:54
S31	36	@ad<"20010613" multiple adj0 connect\$4 host protocol session adj0 identif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 10:57
S32	0	reconnect\$4 @ad<"20010613" reliable persistent multiple with host ticket validate initial adj0 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 11:43
S33	12	@ad<"20010613" multiple adj0 server \$3 connect\$4 host protocol disrupt\$ adj0 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 11:44
S34	1	@ad<"20010613" multiple adj0 server \$3 connect\$4 host protocol disrupt\$ adj0 connect\$4 re-establish	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 11:47
S35	7	reconnect\$4 @ad<"20010613" host re-authenticat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/25 14:18
S36	117	@ad<"20010613" connect\$4 mobile host protocol CDMA "709"/\$.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/26 10:44

S37	12	@ad<"20010613" connect\$4 mobile host protocol CDMA 709/230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/26 10:44
S38	72	@ad<"20010613" connect\$4 mobile host protocol CDMA re-establish\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:34
S39	2	@ad<"20010613" connect\$4 mobile host protocol CDMA re-establish\$3 709/230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:34
S40	0	@ad<"20010613" connect\$4 mobile host protocol CDMA re-establish\$3 distrust	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:35
S41	36	@ad<"20010613" connect\$4 mobile host protocol CDMA re-establish\$3 disconnect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:35
S42	3	@ad<"20010613" connect\$4 mobile host protocol CDMA re-establish\$3 same disconnect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:35
S43	0	@ad<"20010613" connect\$4 mobile host protocol CDMA re-establish\$3 same disconnect\$3 709/230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/03/02 11:36
S44	94	@ad<"20010613" first adj0 connect\$4 re-establish\$4 with connect\$4 second adj0 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:27
S45	11	@ad<"20010613" first adj0 connect\$4 re-establish\$4 with connect\$4 second adj0 connect\$4 maintain\$3 with second	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:27

S46	1	@ad< "20010613" first adj0 connect\$4 re-establish\$4 with client with connect\$4 second adj0 connect\$4 maintain\$3 with second	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:29
S47	0	@ad< "20010613" client adj5 connect\$4 re-establish\$4 adj5 client adj4 connect\$4 host adj0 connect\$4 maintain\$3 with host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:31
S48	3	@ad< "20010613" client adj5 connect\$4 re-establish\$4 adj5 client adj4 connect\$4 server adj0 connect\$4 maintain\$3 with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:31
S49	3	@ad< "20010613" client adj5 connect\$4 re-establish\$4 adj5 client adj4 connect\$4 maintain\$3 with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:38
S50	0	@ad< "20010613" client adj5 connect\$4 re-establish\$4 adj5 client adj4 connect\$4 maintain\$3 with host	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:38
S51	2	@ad< "20010613" client adj5 connect\$4 re-establish\$4 adj5 client adj4 connect\$4 maintain\$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:39
S52	0	@ad< "20010613" client adj5 link\$4 re-establish\$4 adj5 client adj4 link\$4 maintain\$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:39
S53	6	@ad< "20010613" client adj5 link\$4 re-establish\$4 adj5 client maintain\$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:40
S54	0	@ad< "20010613" client adj5 link\$4 re-connect\$4 adj5 client maintain\$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:43

S55	0	@ad<"20010613" client adj5 link\$4 re-connect\$4 adj5 client maintain\$3 with network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:43
S56	0	@ad<"20010613" client adj5 link\$4 re-connect\$4 adj5 client maintain\$3 with connect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:43
S57	3	@ad<"20010613" client adj5 connect\$4 re-connect\$4 adj5 client maintain\$3 with connect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/19 13:43
S58	0	@ad<"20010613" validat\$4 with ticket re-established with connect\$4 maintain\$3 with connect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 15:52
S59	0	@ad<"20010613" validat\$4 with ticket re-establish\$3 with connect\$4 maintain\$3 with connect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 15:53
S60	0	@ad<"20010613" validat\$4 with ticket re-establish\$3 with connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 15:53
S61	27	@ad<"20010613" validat\$4 with key re-establish\$3 with connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 15:53
S62	1965	"x.25" protocol validat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:22
S63	15	@ad<"20010613" validat\$4 with key re-establish\$3 with connect\$4 "x.25" protocol validat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:23

S64	3	@ad< "20010613" validat\$4 with key disrupt\$3 re-establish\$3 with connect\$4 "x.25" protocol validat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:29
S65	97	@ad< "20010613" disrupt\$3 re-establish \$3 "x.25" protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:31
S66	2	@ad< "20010613" disrupt\$3 same re- establish\$3 "x.25" protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:33
S67	62	@ad< "20010613" re-establish\$3 with connect\$3 "x.25" protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:35
S68	131	@ad< "20010613" SID "x.25" protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:50
S69	63	@ad< "20010613" SID "x.25" protocol recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:51
S70	38	@ad< "20010613" stream adj4 identif\$4 "x.25" protocol recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 16:52
S71	16	@ad< "20010613" stream adj4 identif\$4 "x.25" protocol recover\$3 pstn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/15 17:10
S72	16	@ad< "20010613" stream adj4 identif\$4 "x.25" protocol recover\$3 pvc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:21

S73	16	@ad<"20010613" stream adj4 identif\$4 "x.25" protocol recover\$3 pvc map\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:22
S74	0	@ad<"20010613" stream adj4 identif\$4 "x.25" protocol connect\$4 with recover \$3 pvc map\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:23
S75	17	@ad<"20010613" stream adj4 identif\$4 "x.25" channel with recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:25
S76	193	@ad<"20010613" "x.25" channel with recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:26
S77	2	@ad<"20010613" "x.25" channel with recover\$3 session adj0 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:27
S78	0	@ad<"20010613" "x.25" channel with recover\$3 session adj0 identifier with (map\$4 or lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:28
S79	1	@ad<"20010613" "x.25" channel with recover\$3 session adj0 identifier (map \$4 or lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:28
S80	5	@ad<"20010613" channel with recover \$3 session adj0 identifier (map\$4 or lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:29
S81	13	@ad<"20010613" channel with recover \$3 session adj0 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:41

S82	6	@ad< "20010613" connect\$4 with recover\$3 session adj0 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:42
S83	3	@ad< "20010613" connect\$4 with recover\$3 session adj0 identifier (map \$4 or lookup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 09:43
S84	44	@ad< "20010613" permanent adj0 virtual adj0 circuit connect\$4 with recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 10:21
S85	3	@ad< "20010613" permanent adj0 virtual adj0 circuit connect\$4 with recover\$3 with map\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 10:23
S86	3	@ad< "20010613" permanent adj0 virtual adj0 circuit connect\$4 with recover\$3 with map\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 10:23
S87	0	@ad< "20010613" "x.25" re-establish with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:35
S88	0	@ad< "20010613" "x.25" re-establish\$3 with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:35
S89	0	@ad< "20010613" "x.25" re-connect\$3 with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:35
S90	11	@ad< "20010613" "x.25" (re-establish \$3 or re-connect) same identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:36

S91	1	@ad<"20010613" "x.25" (re-establish\$3 or re-connect) same identifier same validat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:40
S92	0	@ad<"20010613" "x.25" (re-establish\$3 or re-connect) same identifier same validat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:56
S93	0	@ad<"20010613" "x.25" (re-establish\$3 or re-connect) same identifier same validat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:56
S94	1	@ad<"20010613" "x.25" (re-establish\$3 or re-connect) same identifier same validat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:56
S95	594	@ad<"20010613" "x.25" recover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:56
S96	1135	@ad<"20010613" "x.25" recover\$2 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:57
S97	673	@ad<"20010613" "x.25" recover\$2 connect\$4 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:57
S98	341	@ad<"20010613" "x.25" recover\$2 connect\$4 identifier validat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:57
S99	37	@ad<"20010613" "x.25" recover\$2 connect\$4 identifier same validat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 11:57

S100	2	@ad<"20010613" "x.25" recover\$2 with connect\$4 identifier same validat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 12:00
S101	8	("5251207" "5490140" "5490141" "5521909" "5533017" "5535199" "5600798" "5734654").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/16 12:02
S102	4	@ad<"20040924" "x.25" recover\$2 with connect\$4 identifier same validat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 12:06
S103	1	@ad<"20040929" "x.25" (re-establish \$3 or re-connect) same identifier same validat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 12:08
S104	133	@ad<"20010613" "x.25" server with replac\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:24
S105	8	@ad<"20010613" "x.25" server with replac\$5 with device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:25
S106	3	@ad<"20010613" "x.25" (server with replac\$5 with device).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:25
S107	0	@ad<"20010613" "x.25" (server with interchang\$3 with device).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:26
S108	0	@ad<"20010613" "x.25" PSTN (server with interchang\$3 with device).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:28
S109	2	@ad<"20010613" "x.25" (host with connects with device).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:29

S110	1245	@ad< "20010613" "x.25" pstn	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:31
S111	0	@ad< "20010613" "x.25" server adj3 replaces adj5 tower	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:32
S112	0	@ad< "20010613" "x.25" node adj3 replaces adj5 tower	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:32
S113	273	@ad< "20010613" "x.25" host with client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:50
S114	128	@ad< "20010613" "x.25" host with client "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:50
S115	1	@ad< "20010613" "x.25" host with mobile adj0 device client "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:51
S116	2	@ad< "20010613" "x.25" host with mobile adj0 device client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:52
S117	1	@ad< "20010613" "x.25" host with network with mobile adj0 device client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 14:53
S118	37	@ad< "20010613" "x.25" changeover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 15:06

S119	0	@ad<"20010613" "x.25" host adj3 changeover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 15:22
S120	2	@ad<"20010613" "x.25" host with changeover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 15:22
S121	9	@ad<"20010613" "x.25" deleting with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:01
S122	1	@ad<"20010613" "x.25" deleting with identifier same predetermined	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:01
S123	3	@ad<"20010613" communications adj3 network deleting with identifier same predetermined with time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:02
S124	1	@ad<"20010613" communications adj3 network (deleting with identifier same predetermined with time).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:02
S125	0	@ad<"20010613" communications adj3 network (deleting with ticket same predetermined with time).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:03
S126	0	@ad<"20010613" communications adj3 network (removing with ticket same predetermined with time).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:04
S127	0	@ad<"20010613" communications adj3 network (removing with identifier same predetermined with time).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:04

S128	0	@ad<"20010613" communications adj3 network (erasing with identifier same predetermined with time).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:04
S129	4	@ad<"20010613" ((deleting or removing or erasing) with identifier same predetermined with time).bsum.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/12/16 16:04

12/ 16/ 2009 5:31:46 PM**C:\ Documents and Settings\ ovostal\ My Documents\ EAST\ Workspaces\ 10711646.wsp**